

# Material Safety Data Sheet

# U.S. Department Labor

May be used to comply with

Occupational Safety and Health  
Administration

OSHA's Hazard Communication Standard  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

|   |  |
|---|--|
| <p>IDENTITY <i>(As Used on Label and List)</i><br/>PIPEFIT AS Anerobic Thread Sealant with Teflon</p> | <p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p> |
|---|--|

## Section I

|  |   |
|--|---|
| <p>Manufacturer's Name<br/>Fire Protection Products, Inc.</p>                                    | <p>Emergency Telephone Number<br/>CHEMTREC 1 (800) 424-9300</p> |
| <p>Address <i>(number, Street, City, State, and Zip Code)</i><br/>6241 Yarrow Drive, Suite A</p> | <p>Telephone Number for Information<br/>1 (760) 931-1168</p>    |
| <p>Carlsbad, CA 92009-1541</p>   | <p>Date Prepared<br/>05/16/2002</p>                             |
|  | <p>Signature of Preparer <i>(optional)</i></p>                  |

## Section II – Hazard Ingredients/Identify Information

| Hazardous Components (Specific Chemical Identity: Common Name(s))                      | OSHA PEL | ACGIH TLV | Other Limits Recommended | % <i>(optional)</i> |
|--|----------|-----------|--------------------------|---------------------|
|  |          |           |                          |                     |
| Organic Peroxide   |          | N/A       |                          | <3                  |
|  |          |           |                          |                     |
|  |          |           |                          |                     |
| All components of this product are listed on the Toxic Substance Control Act (TSCA)    |          |           |                          |                     |
| Inventory of chemical substances maintained by the US Environmental Protection Agency. |          |           |                          |                     |
|  |          |           |                          |                     |
|  |          |           |                          |                     |
|  |          |           |                          |                     |
|  |          |           |                          |                     |
|  |          |           |                          |                     |
|  |          |           |                          |                     |

### Section III – Physical/Chemical Characteristics

|  |          |                                    |      |
|--|----------|------------------------------------|------|
| Boiling Point                                  | >300 F   | Specific Gravity (H2O=1)           | 1.07 |
| Vapor Pressure (mm Hg.)                        | <5 @30 F | Melting Point                      | N/A  |
| Vapor (AIR=1)                                  | N/A      | Evaporation Rate (Butyl Acetate=1) | N/A  |
| Solubility in Water<br>Partial                 |          |                                    |      |
| Appearance and Odor<br>Creamy paste, mild odor |          |                                    |      |

### Section IV – Fire and Explosion Hazard Data

|   |                  |            |            |
|---|------------------|------------|------------|
| Flash Point (Method Used)<br>T.C.C. 855 F   | Flammable Limits | LEL<br>N/A | UEL<br>N/A |
| Extinguishing Media<br>CO2, Foam, Dry Chemicals   |                  |            |            |
| Special Fire Fighting Procedures<br>Air mask and procedures for fighting chemical fires |                  |            |            |
| Unusual Fire Explosion Hazards<br>Contains Organic Peroxide                             |                  |            |            |

(Reproduce locally)

OSHA 174, Sept. 1985

### Section V – Reactivity Data

|  |                |   |                         |
|--|----------------|---|-------------------------|
| Stability  | Unstable       |   | Conditions to Avoid     |
|  | Stable         | X |                         |
| Incompatibility ( <i>Materials to avoid</i> )<br>Oxidizing and reducing agents |                |   |                         |
| Hazardous Decomposition or Byproducts<br>CO, CO2, Nitrous Oxides               |                |   |                         |
| Hazardous polymerization   | May Occur      |   | Conditions to Avoid     |
|  | Will Not Occur | X | Temperatures over 120 F |



|                   |
|-------------------|
| Other precautions |
|                   |

**Section VIII – Control Measures**

|  |                               |                |
|--|-------------------------------|----------------|
| Respiratory Protection ( <i>Specify Type</i> ) |                               |                |
| Ventilation                                    | Local Exhaust                 | Special        |
|  | Mechanical ( <i>General</i> ) | Other          |
| Protective Gloves                              |                               | Eye Protection |
| Other Protective Clothing or Equipment         |                               |                |
| Work/Hygienic Practices                        |                               |                |

\*U.S.G.P.O.:1986-491-529/45775